UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,226	06/02/2005	Shin'ya Katayama	100464	2667
38834 7590 05/19/2011 WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP 1250 CONNECTICUT AVENUE, NW SUITE 700			EXAMINER	
			KASHNIKOW, ERIK	
WASHINGTON, DC 20036			ART UNIT	PAPER NUMBER
			1782	
			NOTIFICATION DATE	DELIVERY MODE
			05/19/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentmail@whda.com

	Application No.	Applicant(s)			
Office Action Commence	10/537,226	KATAYAMA ET AL.			
Office Action Summary	Examiner	Art Unit			
	ERIK KASHNIKOW	1782			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
 1) ☐ Responsive to communication(s) filed on <u>28 Ap</u> 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for allowant closed in accordance with the practice under E 	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
 4) ☐ Claim(s) 1,2,6,7,11-17,19-28 and 30-32 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1,2,6,7,11-17,19-28 snf 30-32 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the original transfer access and the second s	epted or b) \square objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Application/Control Number: 10/537,226 Page 2

Art Unit: 1782

DETAILED ACTION

1. It is noted that in view of the response submitted on 01/22/10 the examiner is withdrawing the finality of the previous rejection and entering the amendment submitted therein. This action is non-final.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-2, 7, 26, 27, 28 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatsuhiko et al. (JP 09-058650).
- 4. In regards to claims 1, 26 and 27 Tatsuhiko et al. teach a paper carton suitable for being filled with liquid contents (Paragraph 0001). Tatsuhiko et al. teach that the carton be comprised of a resin layer and a paper layer (Paragraph 0006). Tatsuhiko et al. teach a resin layer that can be an ethylene-vinyl alcohol copolymer (paragraph 0008), and one of ordinary skill in the art would recognize that EVOH is a common barrier layer used in packaging materials. Tatsuhiko et al. teach polyethylene imine's can be used to coat the paper to promote adhesion (paragraph 0012), and further teach

Page 3

Art Unit: 1782

using DIKKU dry AC108 from Dainippin Ink & Chemicals (paragraph 0022). Given that Tatsuhiko et al. disclose use of polyethyleneimine known under the tradename AC-108 which is identical to the polyethyleneimine used in the present invention, it is clear that AC-108 would inherently possess formula as presently claimed. Tatsuhiko et al. also teach that adhesives can be used between resin layers and between resin and paper layers (paragraph 0015). While Tatsuhiko et al. are silent with regards to there being an adhesive layer on either side of the resin/barrier layer, they do teach multiple resin layers and adhesive layers used therein to provide better adhesion. Therefore it would be obvious to one of ordinary skill in the art at the time of the invention to place an additional adhesive layer between the barrier layer and said other resin layers used in the multilayer embodiment (paragraph 0008). Tatsuhiko et al. teach that the resin layers can be formed by coextrusion (paragraph 0014). In regards to the limitation that the multi-resin layer is bondable at 290°C or lower at the outlet of the die, onto the base paper without thermal decomposition of the barrier resin layer, Examiner points out that as Tatsuhiko et al. teach the same materials as applicants in the same required order as applicants then this property is inherent and would necessarily be the same.

5. In regards to claim 2 Tatsuhiko et al. teach that the resin layer may be single or multilayer (paragraph 0009). The extra layers in a multilayer embodiment of the invention would place an extra layer on the opposite side of the barrier layer than the paper layer. As mentioned above Tatsuhiko et al. do teach the use of adhesives between resin layers.

Art Unit: 1782

6. In regards to claims 7 Tatsuhiko et al. teach the adhesive layer can comprise compounds such as ethylene methacrylic acid and a maleic anhydride polypropylene copolymer (paragraph 0015).

Page 4

- 7. In regards to claim 28 while Tatsuhiko et al. are silent regarding using their containers to store soft drinks, they do mention that their containers are suitable for a wide variety of beverages (paragraph 0017), and it would have been obvious to one of ordinary skill in the art at the time of the invention to include soft drinks as beverages which may be stored by the container of Tatsuhiko et al.
- 8. In regards to claim 32 Tatsuhiko et al. teach that ethylene can be used as the polyolefin (paragraph 0015).
- 9. Claims 6, 17, 30 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatsuhiko et al. (JP 09-058650) in view of Akao et al. (US 5,358,785).
- 10. As stated above Tatsuhiko et al. teach a paper carton suitable for being filled with liquid, as well as adhesive layers made from carboxylic acid and polyolefin resins (paragraph 0015). However they are silent regarding the polymers being graft polymers.
- 11. Akao et al. teach multilayer laminated films, formed using extrusion processes, which are used in packaging (Akao column 1 line 6).

Art Unit: 1782

12. In regards to claim 6 Akao et al. teach that polyolefin resins graft modified by carboxylic acids are known in the art as adhesive resins used to join other resins (Akao column 29 line 23-29).

Page 5

- 13. In regards to claim 30 Tatsuhiko et al. teach that the adhesive can be a maleic anhydride (Tatsuhiko paragraph 0015).
- 14. In regards to claim 31 Tatsuhiko et al. teach that ethylene can be used as the polyolefin (Tatsuhiko paragraph 0015).
- 15. In regards to claim 17, as stated above Tatsuhiko et al. teach that the polyethylene imine can be used to coat the base to promote adhesion to the subsequent adhesive layer (Tatsuhiko Paragraph 0012). Akao et al. teach the polyolefin modified carboxylic acid adhesive layers, but is silent regarding the melt flow rate. However since all the limitations of the adhesive are taught, the melt flow rate would be within the same range of applicants because it is an inherent property.
- 16. One of ordinary skill in the art at the time of the invention would be motivated to modify the invention of Tatsuhiko et al. with the invention of Akao et al. because the invention of Akao et al. has great tear strength and puncture strength (Akao column 1 lines 20-22).
- 17. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatsuhiko et al. (JP 09-058650) in view of Miyake et al. (US 5,942,320).

Art Unit: 1782

- 18. As stated above Tatsuhiko et al. teach a paper carton suitable for being filled with liquid, as well as using ethylene-vinyl alcohol copolymer as the barrier layer. However they are silent regarding the saponification of the ethylene vinyl copolymer.
- 19. Miyake et al. teach a multilayer barrier composite film with gas barrier properties (column 1 lines 5-6).
- 20. In regards to claim 11 Miyake et al. teach that ethylene vinyl alcohol copolymers with a ethylene content of 5-50% mol and a saponification of not less than 99.5% are the preferred barrier resins for their invention (column 11 line 58 column 12 line 24).
- 21. In regards to claim 12 Miyake et al. teach all limitations of the composition of the ethylene vinyl alcohol copolymer and therefore the melt flow rate would be inherent.
- 22. One of ordinary skill in the art at the time of the invention would be motivated to modify the invention of Tatsuhiko et al. with the invention of Miyake et al. because the invention of Miyake et al. offers prominent gas barrier properties against water vapor, oxygen and aromatic components (Miyake column 1 lines 6-8).
- 23. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tatsuhiko et al. (JP 09-058650) in view of Akao et al. (US 5,358,785) in further view of Miyake et al. (US 5,942,320).
- 24. As stated above Tatsuhiko et al. teach a paper container suitable for holding liquids, but are silent regarding the thickness of the individual layers.
- 25. As stated above Akao et al. taught the adhesive layers. Akao et al. further teach that the adhesive layers have a thickness of 1-50 µm (column 16 lines 63-64). However

Art Unit: 1782

Akao et al. are silent regarding the thickness for a barrier layer. As stated above one of ordinary skill in the art at the time of the invention would be motivated to modify the invention of Tatsuhiko et al. with the invention of Akao et al. because the invention of Akao et al. has great tear strength and puncture strength (Akao column 1 lines 20-22).

- 26. Miyake et al. teach the barrier layer described by applicants. They further teach that the barrier layer have a thickness that is between 0.05-15 µm (column 14 lines 30-33).
- 27. One of ordinary skill in the art at the time of the invention would be motivated to modify the inventions of Tatsuhiko et al. and Akao et al. with the invention of Miyake et al. because the invention of Miyake et al. offers prominent gas barrier properties against water vapor, oxygen and aromatic components (Miyake column 1 lines 6-8).
- 28. Claims 14-16 and 19-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tatsuhiko et al. (JP 09-058650) in view of Frisk et al. (WO 00/44632 with US 6,974,612 relied upon as the translation).
- 29. As stated above Tatsuhiko et al. teach a paper container for holding liquids.
- 30. Tatsuhiko et al. teach an outer layer but are silent as to the thickness of the individual layers and use of applicant's materials.
- 31. Frisk et al. teach a package material for paper containers (column 1 lines 6 and 7).
- 32. In regard to claim 14 Frisk et al. teach an innermost thermoplastic layer which has a thickness of 20-50 µm (Frisk column 5 line 9).

Art Unit: 1782

33. In regards to claim 15 Frisk et al. teach that the innermost layer comprises a linear low density polyethylene (Frisk column 5 lines 26-27).

Page 8

- 34. In regards to claim 16 Frisk et al. teach a melt flow index of 5-20 (Frisk column 5 line 18).
- 35. In regards to claim 19 and 20 Frisk et al. teach an outermost layer, which is on the opposite side of the paper base layer than the coextrusion laminated surface, which has a thickness of 10-25 μm and a melt flow index of 5-20 (Frisk column 4 line 33-41 and figure 1).
- 36. In regards to claim 21 Frisk et
- al. do not teach any layer that is closer to the inner part of a container than the innermost layer described above. Frisk et al. do teach that the containers are to be filled with liquid contents (Frisk column 1 line 20-26). Therefore it is obvious to one of ordinary skill in the art at the time of the invention that the innermost layer is a content contacting layer.
- 37. In regards to claim 25 Frisk et al. teach that the innermost layer comprises a linear low density polyethylene (Frisk column 5 lines 26-27).
- 38. In regards to claims 22, 23 and 24 Tatsuhiko et al. teach coextrusion, single extrusion and sandwich lamination as methods for forming the film of their invention (Tatsuhiko paragraph 0014). While they do not specify it for any of the specific layers, it would be well within the ability of one of ordinary skill in the art at the time of the invention to apply these methods to the innermost layer.

Application/Control Number: 10/537,226 Page 9

Art Unit: 1782

39. In regards to claim 27 Frisk et al. teach the container can contain many various types of drinks but specify that the preferred embodiment of the invention is that the container contains a liquid food (Frisk column 13 line 3 - column 14 line 2). It is obvious to one of ordinary skill in the art at the time of the invention that a soft drink is a liquid food product and one of ordinary skill would be motivated to modify the invention so as to be able to contain these many various drinks.

Response to Arguments

- 40. In response to applicants arguments it is noted that this is a non-final rejection.
- 41. In response to Applicant's arguments regarding the temperature, while Tatsuhiko et al. may be silent with regards to the temperature, However, it is noted that "the arguments of counsel cannot take the place of evidence in the record", *In re Schulze*, 346 F.2d 600, 602, 145 USPQ 716, 718 (CCPA 1965). It is the examiner's position that the arguments provided by the applicant regarding temperature at which the layers are bondable must be supported by a declaration or affidavit. As set forth in MPEP 716.02(g), "the reason for requiring evidence in a declaration or affidavit form is to obtain the assurances that any statements or representations made are correct, as provided by 35 U.S.C. 24 and 18 U.S.C. 1001". It is also noted that the instant claims are using comprising language when referring to the barrier layer and as such the presence of other compounds is allowed. Further as set forth in MPEP 716.02(d), whether unexpected results are the results of unexpectedly improved results or a property not taught by the prior art, "objective evidence of nonobviousness must be

Page 10

Art Unit: 1782

commensurate in scope with the claims which the evidence is offered to support". Applicants have not provided data to show that the unexpected results are due to the extrusion temperature as it is noted that comparative examples 1 and 2 that were pointed to by Applicant in there last response do not contain polyethylene imine, and as such it is unclear whether it is the presence of the polyethylene imine that cause the improved properties and adhesion strength or the extrusion temperature. Therefore it is not commensurate in scope with that being claimed, and is unpersuasive. It is further noted that the Tatsuhiko et al. reference does teach paper coated with the imine.

- 42. In response to Applicant's arguments regarding the additional adhesive layer being used to protect the barrier layer from oxidation, examiner points out that the rejection has been amended to highlight embodiments wherein both an adhesive layer and an additional resin layer would protect the barrier layer from oxidation. The declaration is not found persuasive as the art does not show the EVOH layer being extruded in direct contact with the paper, which caused the pin hole problem presented in the declaration, and further the rejection teaches embodiments wherein the EVOH layer has an adhesive resin on both sides.
- 43. With regards to applicants arguments regarding EVOH, it is noted that the instant invention only requires that the barrier layer comprises not consists of EVOH, and as such the EVOH polyamide layer of Tatsuhiko et al. is within the scope of the instant claims.
- 44. Examiner notes that while Akao, Miyake and Frisk do not disclose <u>all</u> the features of the present claimed invention, they are used as teaching reference, and therefore, it

Art Unit: 1782

is not necessary for this secondary reference to contain all the features of the presently claimed invention, *In re Nievelt*, 482 F.2d 965, 179 USPQ 224, 226 (CCPA 1973), *In re Keller* 624 F.2d 413, 208 USPQ 871, 881 (CCPA 1981). Rather this reference teaches a certain concept, and in combination with the primary reference, discloses the presently claimed invention. If the secondary reference contained all the features of the present claimed invention, it would be identical to the present claimed invention, and there would be no need for secondary references.

Conclusion

53. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ERIK KASHNIKOW whose telephone number is (571)270-3475. The examiner can normally be reached on Monday-Friday 7:30-5:00PM EST (Second Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/537,226 Page 12

Art Unit: 1782

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Erik Kashnikow Examiner Art Unit 1782

/Rena L. Dye/ Supervisory Patent Examiner, Art Unit 1782